

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: GREATER PEACE CHILD DEV CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 3/25/2026
Facility Address: 940 FOX RUN PARKWAY, OPELIKA, AL 36801, Lee	Licensee: GREATER PEACE COMMUNITY DEV CORPORATION	Telephone #: (334) 749-5555
Ages: 2 Years to 5 Years	Director (if applicable): LATEKIA GRAY	Capacity: 63 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Emergency Preparedness and Response Plan, Inspection Form Comments: missing	Pending Correction
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some of the facility staff are not enrolled in the Alabama pathway's registry	Pending Correction
Failed - Food served on individual dishes or napkins, not directly on the table, Inspection Form Comments: In the 4-year-old classroom the food was served directly on the table	3/25/2026
Failed - 4 years up to school age 1 to 18, Inspection Form Comments: The 4year old classroom is out of compliance due to a suitability	Pending Correction
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: wrong suitability	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: missing 12 hours	Pending Correction
Failed - References, Staff Checklist Comments: missing	Pending Correction
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: missing	Pending Correction

Failed - Written Verification of Standards Read, Staff Checklist Comments: missing	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: missing 4hours	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: missing 11 hours	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: missing full address	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: missing full address on second page	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: missing full address	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: missing full address	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: missing doctor information	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: missing full address	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: missing full address	Pending Correction
Failed - Hazardous substances locked, Classroom Checklist / PreK Private Comments: cabinet with hazard substance was not under lock and key	3/25/2026
Failed - Hazardous substances locked, Classroom Checklist / PreK 2 Comments: cabinet with hazard was not under lock and key	3/25/2026
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Preschool 2 Comments: shelving was not anchored	3/25/2026
In the 2 1/2yr- 3yr there were an mop bucket with cleaning solution accessible to the children., Ad Hoc Comments: NA	3/25/2026
In the 4-year-old classroom there was a hole in the bathroom wall., Ad Hoc Comments: NA	3/25/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 4-8-26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Angela Turner

3-25-2026

Signature of Facility Representative

Date

SHYNECSA BLEVINS

Shyneesa Blevins

3-25-26

**Signature of DHR Licensing
Representative**

Date

COPIES TO: Director