

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: GROWING IN GRACE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 3/26/2026
Facility Address: 1023 FIFTH AVENUE SE, DECATUR, AL 35601, Morgan	Licensee: GROWING IN GRACE CHILDCARE CENTER LLC	Telephone #: (256) 686-3450
Ages: 3 Weeks to 4 Years	Director (if applicable): SONYA MASON	Capacity: 28 / NA Day Night


SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Children younger than 2 ½ grouped separately, Inspection Form Comments: Children younger than 2 1/2 (two and a half) are on the playground with children older than 2 1/2 (two and a half).	3/26/2026
Failed - No screen time for children under 2 years of age, Inspection Form Comments: Infants were having screentime at visit.	3/26/2026
Failed - Daily schedule posted that includes 60 minutes of physical activity (toddlers), Inspection Form Comments: Daily schedule in toddler class is missing.	3/26/2026
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Trainings are not uploaded for all staff in Alabama Pathways.	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Signatures are missing on page 2.	Pending Correction

Failed - Potty chairs cleaned/disinfected/empties, Classroom Checklist / 3/26/2026
Toddlers
Comments: One of the potty chairs in classroom has urine in it.

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 04/09/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

3/26/26
Date

AJOIA MCGHEE

03/26/26

Signature of DHR Licensing Representative

Date

COPIES TO: ____ Center _____