

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: DOODLEBUGS	Type of Facility : Center [] Day [X] OST [] Night [] Family [] University [] Group [X]	Date of Visit: 3/27/2026
Facility Address: 506 WEBSTER CIRCLE, VERNON, AL 35592, Lamar	Licensee: TIFFINEY R. STANFORD	Telephone #: (205) 695-8383
Ages: 6 Weeks to 12 Years	Director (if applicable): N/A	Capacity: 12 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Most recent licensing evaluation posted, Inspection Form Comments: not able to locate	3/17/2026
Failed - Most recent deficiency report posted, Inspection Form Comments: not able to locate	3/17/2026
Failed - Fire, Inspection Form Comments: unable to locate record sheet	3/17/2026
Failed - Tornado, Inspection Form Comments: unable to locate record sheet	3/17/2026
Failed - Lockdown, Inspection Form Comments: unable to locate record sheet	3/17/2026
Failed - Relocation, Inspection Form Comments: unable to locate record sheet	3/17/2026
Failed - Medical, Staff Checklist Comments: expired	3/17/2026

Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: expired	Pending Correction
Failed - Medical, Staff Checklist Comments: expired	3/27/2026
Failed - Immunization Certificate, Child Checklist Comments: expired	3/27/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 04/10/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

Date

Rolanda Nelson
Signature of DHR Licensing Representative

03/27/2026
Date

COPIES TO: Peggy Stanford