

**ALABAMA DEPARTMENT OF HUMAN RESOURCES**  
**CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A - IDENTIFYING INFORMATION**

|                                                                             |                                                                                                                                                 |                                                        |
|-----------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| Facility Name:<br>ABC CHILDCARE/LEARNING<br>CENTER                          | Type of Facility : Center [X]<br>Day [X]                      OST [ ]<br>Night [ ]                    Family [ ]<br>University [ ]<br>Group [ ] | Date of Visit:<br>2/11/2026                            |
| Facility Address:<br>301 EAST BOUNDARY STREET,<br>EUFULA, AL 36027, Barbour | Licensee:<br>ABC CHILDCARE/LEARNING<br>CENTER, LLP                                                                                              | Telephone #:<br>(334) 687-1097                         |
| Ages:<br>6 Weeks to 12 Years                                                | Director (if applicable):<br>ERNESTINE TAYLOR-LEWIS                                                                                             | Capacity:<br>62        /        NA<br>Day        Night |

**SECTION B - DEFICIENCY INFORMATION**

| <u>Performance Standard Deficiency</u><br><b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>                                                               | <b>Date Corrected by<br/>Licensee</b> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| <b>Deficiency Summary</b>                                                                                                                             |                                       |
| Failed - Health and Safety Training, Staff Checklist<br>Comments: There is no verification for classes 1, 2, 4 and 6                                  | 9/2/2025                              |
| Failed - Ongoing Training, Staff Checklist<br>Comments: There is no verification of ongoing training.                                                 | 9/25/2025                             |
| Failed - Health and Safety Training, Staff Checklist<br>Comments: All health and safety training are not verified.                                    | 9/23/2025                             |
| Failed - Preadmission Form, Child Checklist<br>Comments: The preadmission form has blank spaces and there is no street listed in the address section. | 8/22/2025                             |
| Failed - Preadmission Form, Child Checklist<br>Comments: There are blank spaces on the application and no addresses.                                  | 8/22/2025                             |
| Failed - Preadmission Form, Child Checklist<br>Comments: one of the parent signatures is missing and there is no city listed in the address.          | 8/22/2025                             |

|                                                                                                                                                                                                   |           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Failed - Preadmission Form, Child Checklist<br>Comments: Parent signatures are missing and there is no city in the addresses.                                                                     | 8/22/2025 |
| Failed - Preadmission Form, Child Checklist<br>Comments: There is no city listed in the addresses.                                                                                                | 8/22/2025 |
| Failed - Preadmission Form, Child Checklist<br>Comments: There is no city listed in the addresses.                                                                                                | 8/22/2025 |
| The teacher in the 6 weeks to 18-month room left 7 children 9 months to 18 months unsupervised to come open the front door to let the DHR representative in the building., Ad Hoc<br>Comments: NA | 11/6/2025 |
| Upon DHR representatives' arrival there is not enough staff to operate the center according to standards., Ad Hoc<br>Comments: NA                                                                 | 11/6/2025 |
| The 6 weeks to 18-month classroom was out of child/staff ratio with 7 children 9 months to 18 months with 1 staff., Ad Hoc<br>Comments: NA                                                        | 11/6/2025 |
| The 18 months to 2 1/2-year-old classroom was out of Child/staff ratio with 13 children to 1 staff., Ad Hoc<br>Comments: NA                                                                       | 11/6/2025 |
| The 2 1/2- to 4-year-old classroom was out of child/staff ration with 13 children to 1 staff, Ad Hoc<br>Comments: NA                                                                              | 11/6/2025 |
| In the 6 weeks to 18-month classroom there was Lysol and disinfectant wipes not under lock and key., Ad Hoc<br>Comments: NA                                                                       | 11/6/2025 |
| On the small playground there was a grill, tables, chairs, Ice chest, charcoal and plastic stored., Ad Hoc<br>Comments: NA                                                                        | 11/6/2025 |
| In the 6 weeks to 18-month room there were 4 children restrained in highchairs and bouncy seats for approximately 30 min., Ad Hoc<br>Comments: NA                                                 | 11/6/2025 |

In the 18 month to 2 1/2 room 2 children were restrained in highchairs for 11/6/2025  
approxmatley 30 min., Ad Hoc  
Comments: NA


The 18 months to 2 1/2 half classroom was watching t.v., Ad Hoc 11/6/2025  
Comments: NA

The playground is restricted until all repairs have been made and a DHR 1/9/2026  
representative inspect the playground., Ad Hoc  
Comments: NA

There are staff that their suitability (fingerprints) is expired., Ad Hoc 3/3/2026  
Comments: NA

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before X, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

  
Signature of Facility Representative

3-31-2024  
Date

JAY DALTON

\_\_\_\_\_  
Signature of DHR Licensing Representative

3/30/26  
Date

COPIES TO: Ernestine Lewis-Taylor