

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: BONNIE'S KIDS CHILD CARE CENTER	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>	Date of Visit: 3/31/2026
Facility Address: 2314 ENTERPRISE DR, OPELIKA, AL 36801, Lee	Licensee: BONNIE'S KIDS CHILD CARE CENTER INC.	Telephone #: (334) 745-6248
Ages: 4 Weeks to 11 Years	Director (if applicable): TAMMIE M LONG	Capacity: 155 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
QUALIFICATIONS OF STAFF, Allegation	Pending Correction
Comments: In the infant 1 classroom there were an infant being put to sleep on her stomach in the crib., Ad Hoc	3/31/2026
Comments: NA In the infant 2 classroom there were three infants asleep in swingers., Ad Hoc	3/31/2026
Comments: NA Down the hallway to the right there was a missing outlet cover. , Ad Hoc	3/31/2026
Comments: NA In the school age classroom, there was a missing outlet cover., Ad Hoc	3/31/2026
Comments: NA In the infant 2 classroom there were a missing outlet cover., Ad Hoc	3/31/2026
Comments: NA In the school age classroom, there were a screwdriver accessible to the children., Ad Hoc	3/31/2026
Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form

must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

SHYNECSA BLEVINS

4/13/26

Date

Signature of DHR Licensing Representative

Date

COPIES TO: _____