ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: DOUBLE SPRINGS HEAD START	Type of Facility : Center [X] Day [X] OST [ ] Night [ ] Family [ ] University [ ] Group [ ]	Date of Visit: 4/2/2026
Facility Address: 123 OLD SCHOOL RD, DOUBLE SPRINGS, AL 35553, Winston	Licensee: CAPNA, INC.	Telephone #: (256) 606-5770
Ages: 3 Years to 5 Years	Director (if applicable): TIFFANY HILL	Capacity: 20 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	**Date Corrected by Licensee**
Deficiency Summary There were no deficiencies that were noted or observed on today's visit. 4/2/2026 All Health and Safety met as of 4/2/26., Ad Hoc Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____N/A_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

T Mizell
Signature of Facility Representative

4/2/26
Date

CATRESSA ROZELL Catressa Rozell
DHR Representative

4/2/26