

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: PATHWAYS CHILD DEVELOPMENT CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 2/25/2026
Facility Address: 3740 Ceasarville Rd., Wetumpka, AL 36092, Elmore	Licensee: PATHWAYS CHILD DEVELOPMENT CENTER	Telephone #: (334) 319-2351
Ages: 6 Weeks to 12 Years	Director (if applicable): STACI SAYERS	Capacity: 74 / NA Day Night


SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Outside windows that are open are screened, Inspection Form	2/25/2026
Comments: Per staff statements, on 10/16/25 a window was open without a screen.	
Failed - Center free of apparent hazards, Inspection Form	2/25/2026
Comments: A staff purse is not under lock and key in the 6 weeks-18 month classroom.	
Failed - Exposed electrical outlets have protective covers, Inspection Form	3/25/2026
Comments: Throughout the facility.	
EMERGENCY PROCEDURES, Allegation	2/25/2026
Comments:	
On 10/16/25, per staff statements, the center failed to notify the Department of an incident involving a child which required medical treatment., Ad Hoc	2/25/2026
Comments: NA	
The shelving in the 18 month-2 1/2 year classroom is not secure., Ad Hoc	2/25/2026
Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before


_____X_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

JESSICA VICE



Date

4/6/26

Signature of DHR Licensing Representative

Date

COPIES TO: _____ Center _____