

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: SLOCOMB CHILD DEVELOPMENT CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 3/24/2026
Facility Address: 508 E LAWRENCE HARRIS HWY, SLOCOMB, AL, 36375, Geneva	Licensee: SLOCOMB CHILD DEVELOPMENT CENTER LLC	Telephone #: (334) 258-4083
Ages: 6 Weeks to 12 Years	Director (if applicable): ROSE HURST	Capacity: 50 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - *Digging or sand area, Inspection Form Comments: There is no sand on all playground.	3/24/2026
Failed - *Toys for digging, Inspection Form Comments: There is no toys for digging on all playground.	3/24/2026
Failed - 18 up to 2½ years 1 to 7, Inspection Form Comments: Class is out of ratio due to staff not meeting CCDF requirements (CA/N, suitability and references)	3/24/2026
Failed - 24 months to 36 months 1 to 8, Inspection Form Comments: Class is out of ratio due to staff not meeting CCDF requirements (CA/N, Suitability and references)	3/24/2026
Failed - 2 ½ years up to 4 years 1 to 11, Inspection Form Comments: Class is out of ratio due to staff not meeting CCDF requirements (CA/N, suitability and references).	3/24/2026
Failed - Child care workers/teachers/subs meet qualification and have 12 hours of training within 30 days of employment, Inspection Form	3/24/2026

Comments: There are staff that do not have 12 hours of training.

Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form 3/30/2026
Comments: All staff are not enrolled in the Alabama Pathway registry.

Failed - Records on file at time of employment, Inspection Form 4/6/2026
Comments: All staff do not have a complete file.

Failed - Suitability Determination (Every 5 years), Staff Checklist 3/24/2026
Comments: expired

Failed - Ongoing Training, Staff Checklist 3/24/2026
Comments: There is no verification of ongoing training.

Failed - Medical, Staff Checklist 3/24/2026
Comments: expired

Failed - Ongoing Training, Staff Checklist 3/24/2026
Comments: There is no verification of ongoing training.

Failed - Ongoing Training, Staff Checklist 3/24/2026
Comments: There is no verification of ongoing training.

Failed - Ongoing Training, Staff Checklist 3/30/2026
Comments: There is no verification of ongoing training.

Failed - Preadmission Form, Child Checklist 2/13/2026
Comments: There are not complete addresses with street and city in the release or emergency section.

Failed - *Toy telephones-2, Classroom Checklist / 2 1\2 - 3 year olds 3/24/2026
Comments: There was only 1 phone.

Failed - Hazardous substances locked, Classroom Checklist / 2 1\2 - 3 year olds 3/24/2026
Comments: In the bathroom there is Clorox wipes, Lysol and cleaner under the sink that is not under lock and key.

Failed - Indoor thermometer (child safe), Classroom Checklist / 24 - 36 months 3/24/2026
Comments: There is no thermometer in the room.

Failed - Posted Daily schedule w/ 60-90 minutes of active play, Classroom Checklist / 24 - 36 months Comments: There is no schedule posted.	3/24/2026
Failed - *Non-toxic playdough, Classroom Checklist / 24 - 36 months Comments: There was no playdough in the room.	3/24/2026
Failed - Diapering area, Classroom Checklist / 24 - 36 months Comments: There is not a diaper area.	3/24/2026
Failed - Posted Daily schedule w/ 60-90 minutes of active play, Classroom Checklist / 24 - 36 months Comments: A schedule is not posted.	3/24/2026
Failed - Indoor thermometer (child safe), Classroom Checklist / 3 - 4 yr olds Comments: There is not a thermometer in the class	3/24/2026
Failed - Written daily schedule posted with 60-90 minutes of active play, Classroom Checklist / 3 - 4 yr olds Comments: The schedule does not reflect 60 -90 min of active play.	3/24/2026
Failed - *Non-toxic playdough, Classroom Checklist / Walkers Comments: There is no playdough in the room.	3/24/2026
Failed - *Push and pull toys 2, Classroom Checklist / Walkers Comments: There was only 1	3/24/2026
Failed - *Sit on riding toys – 2, Classroom Checklist / Walkers Comments: There was only 1.	3/24/2026
Failed - *Large soft balls – 2, Classroom Checklist / Walkers Comments: There is only 1	3/24/2026
Failed - *Non-wooden building blocks (approximately 20 non- interlocking), Classroom Checklist / Walkers Comments: There were not enough non wooden non interlocking blocks.	3/24/2026
Failed - *Doll clothes and blankets, Classroom Checklist / Walkers Comments: There is no baby blankets and clothes.	3/24/2026

Failed - *Toy telephones – 2, Classroom Checklist / Walkers Comments: There was no phone in the classroom.	3/24/2026
Failed - *Dress-up clothes, Classroom Checklist / Walkers Comments: There are no dress up clothes.	3/24/2026
Failed - Posted Daily schedule w/ 60 minutes of active play, Classroom Checklist / Walkers Comments: There is no schedule posted.	3/24/2026
The gate dividing the walker room and the 18-to-24-month room is broken and falls off when opened., Ad Hoc Comments: NA	3/24/2026
In the 18 to 24-month room there is a tear in the changing pad., Ad Hoc Comments: NA	3/24/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before x , as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Rose Hurst

Signature of Facility Representative

04/06/2026

Date

JAY DALTON

Signature of DHR Licensing Representative

4/3/2026
Date

COPIES TO: Rose Hurst_