

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: GROWING ROOM OPELIKA	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 4/14/2026
Facility Address: 1755 THOMASON DRIVE, OPELIKA, AL 36801, Lee	Licensee: LARK ASSOCIATES, INC. DBA GROWING ROOM	Telephone #: (334) 748-9020
Ages: 6 Weeks to 12 Years	Director (if applicable): HOLLIE D AUTREY	Capacity: 233 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	<u>Date Corrected by</u> <u>Licensee</u>
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some of the facility staff are not in the Alabama Pathway's registry.	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: missing	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Missing 2 hours	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Missing 2 hours	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Missing 2 hours	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Missing 2 hours	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Missing 4 hours	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Missing	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Missing 4 hours	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Missing 6 hours	Pending Correction
Failed - Ongoing Training, Staff Checklist	Pending Correction

Comments: Missing	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: Missing	
Failed - References, Staff Checklist	Pending Correction
Comments: Missing	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: Missing 6 hours	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: Missing 6 hours	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: missing 2 hours	
Failed - Health and Safety Training, Staff Checklist	Pending Correction
Comments: Missing	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: Missing 2 hours	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: Missing 2 hours	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: missing	
Failed - Interstate CA/N if applicable (within 5 years), Staff Checklist	Pending Correction
Comments: missing	
Failed - Preadmission Form, Child Checklist	Pending Correction
Comments: missing the doctor information	
Failed - Preadmission Form, Child Checklist	Pending Correction
Comments: missing doctor full address	
Failed - Preadmission Form, Child Checklist	Pending Correction
Comments: missing doctor full address	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / K4A	Pending Correction
Comments: Shelving needs to be anchored.	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / K3/4	Pending Correction
Comments: Shelving not anchored.	
Failed - Electrical outlets covered, Classroom Checklist / K3B	4/14/2026
Comments: Missing plug cover.	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / K3A	Pending Correction
Comments: Shelving not anchored.	
Failed - Electrical outlets covered, Classroom Checklist / Infant 1A	4/14/2026
Comments: Missing cover.	
Failed - Hazardous substances locked, Classroom Checklist / Infant 1A	4/14/2026
Comments: Cleaning supplies not under lock and key or combination lock.	
Failed - Medication locked, Classroom Checklist / Infant 1A	4/14/2026
Comments: Medication not under lock and key or combination lock.	
Failed - Hazardous substances locked, Classroom Checklist / Infant 1B	4/14/2026

Comments: Cleaning supplies not under lock and key or combination lock.	
Failed - Medication locked, Classroom Checklist / Infant 1B	4/14/2026
Comments: Medication not under lock and key or combination lock.	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Infant 1C	Pending Correction
Comments: Shelving not anchored.	
Failed - Hazardous substances locked, Classroom Checklist / Infant 1C	4/14/2026
Comments: Cleaning supplies not under lock and key or combination lock.	
Failed - Medication locked, Classroom Checklist / Infant 1C	4/14/2026
Comments: Medication not under lock and key and combination lock.	
Failed - Hazardous substances locked, Classroom Checklist / Gym	4/14/2026
Comments: Cleaning supplies not under lock and key or combination lock.	
Failed - Containers labeled, Classroom Checklist / Gym	4/14/2026
Comments: Container not labeled.	
Failed - Medication locked, Classroom Checklist / K1	4/14/2026
Comments: Medication not under lock and key or combination lock.	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / K2A	Pending Correction
Comments: Shelving not anchored.	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Infant 2	Pending Correction
Comments: Shelving not anchored.	
Failed - *Age appropriate puzzles – 2 (complete with all pieces), Classroom Checklist / Infant 2	Pending Correction
Comments: Missing	
Failed - *Pots, pans, buckets, large plastic spoons, Classroom Checklist / Infant 2	Pending Correction
Comments: Missing	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Infant 2	Pending Correction
Comments: Shelving not anchored.	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / K2B	Pending Correction
Comments: Shelving not anchored.	
Failed - Electrical outlets covered, Classroom Checklist / K2B	4/14/2026
Comments: Missing cover.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 4-28-26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Lazzy Wad
Signature of Facility Representative

4/14/26
Date

ARIANN CHARITY Shyrea Blair
Signature of DHR Licensing Representative

4-14-26
Date

COPIES TO: Director