

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: PROGRESSIVE UNION MBC CHILD DEV.CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 4/15/2026
Facility Address: 1919 BRANDONTOWN RD, HUNTSVILLE, AL 35816, Madison	Licensee: PROGRESSIVE UNION MBC CHILD DEV. CENTER	Telephone #: (256) 539-1072
Ages: 2 Months to 12 Years	Director (if applicable): DIONNE EATMON	Capacity: 94 / NA Day Night


SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Records on file at time of employment, Inspection Form Comments: Two staff with incomplete files	4/25/2026
Failed - Character and suitability review conducted on required person (every 5 years), Inspection Form Comments: one staff incomplete	4/25/2026
Failed - Hazardous substances under lock and key or combination lock, Inspection Form Comments: Purse disinfectant wipes	3/25/2026
Failed - Medical, Staff Checklist Comments: expired	4/10/2026
Failed - Interstate CA/N if applicable (within 5 years), Staff Checklist Comments: incomplete	4/10/2026
Failed - Barriers around heaters, fans, Classroom Checklist / Pre-K 1 Comments: incomplete	4/13/2026
Failed - Barriers around heaters, fans, Classroom Checklist / Pre-K 2 Comments: incomplete	4/10/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before

_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

4-15-24

Date

BRANDUL PERINE

Signature of DHR Licensing Representative

Date

COPIES TO: _____