

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: LITTLE ANGEL DAY SCHOOL INC	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 4/15/2026
Facility Address: 1125 SHERROD AVENUE, FLORENCE, AL 35630, Lauderdale	Licensee: LITTLE ANGEL DAY SCHOOL INC	Telephone #: (256) 766-4483
Ages: 6 Weeks to 12 Years	Director (if applicable): TASHA ANTHONY	Capacity: 115 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: On 3/31/2026, some staff is not listed in Alabama Pathways.	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: On 3/31/2026, staff's file is missing current health and safety training.	Pending Correction
Failed - Verification of Education, Staff Checklist Comments: On 3/31/2026, staff's file is missing proof of education.	4/10/2026
Failed - Ongoing Training, Staff Checklist Comments: On 3/31/2026, staff's file is missing current ongoing training.	4/10/2026
Failed - Health and Safety Training, Staff Checklist Comments: On 3/31/2026, staff's file is missing current health and safety training.	4/10/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist	Pending Correction

Comments: On 3/31/2026, staff's file is missing suitability letter.

Failed - Health and Safety Training, Staff Checklist Pending Correction
Comments: On 3/31/2026, staff's file is missing current health and safety training.

Failed - Health and Safety Training, Staff Checklist Pending Correction
Comments: On 3/31/2026, staff's file is missing current health and safety training.

Failed - Medical, Staff Checklist Pending Correction
Comments: On 3/1/2026, staff's file needs an updated medical.

Failed - Preadmission Form, Child Checklist 4/3/2026
Comments: On 3/31/2026, preadmission form is incomplete.

Failed - Hazardous substances locked, Classroom Checklist / Preschool One 3/31/2026
Comments: On 3/31/2026, there was Lysol, disinfecting wipes, glass cleaner and hand sanitizer not locked up.

Failed - Hazardous substances locked, Classroom Checklist / Preschool Three 3/31/2026
Comments: On 3/31/2026, there was Lysol and disinfecting wipes in an unlocked cabinet.

Failed - Hazardous substances locked, Classroom Checklist / School Age 3/31/2026
Comments: On 3/31/2026, there was hand sanitizer sitting on top of a cabinet.

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 4/29/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Tasha Anthony
Signature of Facility Representative

04/15/2026
Date

LATONYA JAMES

Signature of DHR Licensing Representative

4/15/2026

Date

COPIES TO: __Tasha Anthony_____