

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: CRUMBNEY BETHEL DAYCARE AND KINDERGARTEN	Type of Facility : Center [X] Day [X]            OST [ ] Night [ ]        Family [ ] University [ ] Group [ ]	Date of Visit: 4/16/2026
Facility Address: 444 - 58TH STREET, FAIRFIELD, AL 35064, Jefferson	Licensee: CRUMBNEY BETHEL P.B CHURCH	Telephone #: (205) 788-5051
Ages: 6 Weeks to 12 Years	Director (if applicable): DEBORAH MITCHELL	Capacity: 98            /    NA Day            Night

**SECTION B - DEFICIENCY INFORMATION**

<b>Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	<b>Date Corrected by Licensee</b>
<b>Deficiency Summary</b>	
There are no deficiencies observed on this visit. upon arrival on 4/2/26, there is a staff member working at the center with an indicated CAN. , Ad Hoc Comments: NA	4/7/2026
The Infant Classroom (6wks-18months) is out of ratio due a staff member working with an Indicated CAN., Ad Hoc Comments: NA	4/7/2026
Staff files are incomplete., Ad Hoc Comments: NA	4/7/2026
In the Infant Classroom (6wks-18months), there is an adult chair that is worn and peeling leather., Ad Hoc Comments: NA	4/2/2026
In the Toddlers Classroom (2 1/2-3yrs), there are hazards not under lock and key/ Combination lock (cleaning supplies), Ad Hoc Comments: NA	4/7/2026

**INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before \_\_\_\_\_, as verification that deficiencies have been corrected.**

**NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of**

these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

\_\_\_\_\_  
**Signature of Facility Representative**

\_\_\_\_\_  
Date

SHUNDR NEVELS

\_\_\_\_\_  
**Signature of DHR Licensing Representative**

\_\_\_\_\_  
Date

COPIES TO: \_\_\_\_\_