

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: LOVE AND JOY LEARNING CENTER 2	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 4/17/2026
Facility Address: 1906 MILLER STREET SW, DECATUR, AL 35601, Morgan	Licensee: DEMARLA ELLIOTT	Telephone #: (256) 686-2729
Ages: 2 Years to 12 Years	Director (if applicable): DEMARLA ELLIOTT	Capacity: 26 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Pending Correction Comments: Two basketball goals are not secured, and the balance beam is bent.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 4/17/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

LEA RAE GAINES

**Signature of DHR Licensing
Representative**

4/17/26

Date

4/17/26

Date

COPIES TO: _____