

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: MUSTARD SEED FAITH CATHEDRAL DAYCARE	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 4/9/2026
Facility Address: 625 PINSON VALLEY PARKWAY, BIRMINGHAM, AL 35217, Jefferson	Licensee: MUSTARD SEED FAITH CATHEDRAL	Telephone #: (205) 849-8730
Ages: 6 Weeks to 12 Years	Director (if applicable): ANNETTE DUNNER	Capacity: 75 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Separate areas for children younger than 2½, Inspection Form	4/23/2026
Comments: The 24m-36m classroom on the playground with the 3y-5y olds.	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form	Pending Correction
Comments: There is a cracked seat on the bike mary-go-round.	
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form	Pending Correction
Comments: There is a rug rolled up on the playground.	
Failed - 0 up to 18 months 1 to 5, Inspection Form	4/23/2026
Comments: There are (7) infants 6wks-24m in a class with (1) staff.	
Failed - Immunization Certificate, Child Checklist	Pending Correction
Comments: expired	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 5/4/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department

and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Cherice Carey

Cherice Carey
Signature of Facility Representative

04/28/2026

Date

JOY FRAZIER

4/23/26

Signature of DHR Licensing Representative

Date

COPIES TO: C. Carey

Age	Overseer (if applicable)
6 Weeks to 12 Years	ANNETTE DUNN

Performance Standard Deficiency	When the Deficiency was Observed
HAZARDS MUST BE CORRECTED IMMEDIATELY	
Deficiency Summary:	
Failed - Supervisor was for children younger than 24. Inspection Form	4/23/26
Comments: The 24 hr. sign is on the playground with the 14 hr. sign.	
Failed - Outdoor play area and equipment are in poor condition. Inspection Form	4/23/26
Comments: There is a cracked seal on the blue slide support.	
Failed - Outdoor play area does not appear to be in good condition. Inspection Form	4/23/26
Comments: There is a big crack in the blue support.	
Failed - 4 up to 12 months. 4 up to 12 months. Inspection Form	4/23/26
Comments: There are 12 up to 12 months. There are 12 up to 12 months.	
Failed - 12 up to 12 months. 12 up to 12 months. Inspection Form	4/23/26
Comments: There are 12 up to 12 months. There are 12 up to 12 months.	