

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION


Facility Name: DOWNTOWN YMCA EARLY CHILDHOOD EDU CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 4/24/2026
Facility Address: 2000 A VERNON AVENUE, HUNTSVILLE, AL 35805, Madison	Licensee: YOUNG MENS CHRISTIAN ASSO OF MET HUNT AL	Telephone #: (256) 202-5550
Ages: 0 Weeks to 10 Years	Director (if applicable): ERIN LEDET	Capacity: 109 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Pending Correction Comments: On 4/24/26, all staff were not enrolled in Alabama Pathways.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 05/08/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

04/24/2026

 Date

AJOIA MCGHEE

04/24/26

Signature of DHR Licensing Representative

Date

COPIES TO: _Center_____