

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: BECK'S DAY CARE CENTER, INC.	Type of Facility : Center [X] Day [X]      OST [ ] Night [ ]    Family [ ] University [ ] Group [ ]	Date of Visit: 4/29/2026
Facility Address: 1248 ANCHOR DRIVE, MOBILE, AL 36693, Mobile	Licensee: BECK'S DAY CARE CENTER, INC.	Telephone #: (251) 661-4254
Ages: 6 Weeks to 13 Years	Director (if applicable): LEIGH BAILEY	Capacity: 86      /      NA Day      Night

**SECTION B - DEFICIENCY INFORMATION**

<b>Performance Standard Deficiency</b> <b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	<b>Date Corrected by</b> <b>Licensee</b>
<b>Deficiency Summary</b> There are no deficiencies observed on today's visit.	

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before \_\_\_\_\_, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

  
Signature of Facility Representative

SHUNDR NEVELS

  
Date

\_\_\_\_\_  
Signature of DHR Licensing Representative

\_\_\_\_\_  
Date