

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: GOLDEN GOOSE LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 4/29/2026
Facility Address: 105 NORTH THIRD STREET, OPELIKA, AL 36801, Lee	Licensee: GOLDEN GOOSE DAYCARE CORP	Telephone #: (334) 737-6385
Ages: 0 Weeks to 6 Years	Director (if applicable): TARA CARR	Capacity: 47 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	<u>Date Corrected by</u> Licensee
Deficiency Summary	
Failed - Most recent fire inspection report within 5 years, Inspection Form Comments: missing	Pending Correction
Failed - Fire department, Inspection Form Comments: missing	Pending Correction
Failed - Law enforcement, Inspection Form Comments: missing	Pending Correction
Failed - Medical assistance (ambulance or rescue), Inspection Form Comments: missing	Pending Correction
Failed - Fire, Inspection Form Comments: missing	Pending Correction
Failed - Tornado, Inspection Form Comments: missing	Pending Correction
Failed - Lockdown, Inspection Form Comments: missing	Pending Correction
Failed - Relocation, Inspection Form Comments: missing	Pending Correction
Failed - Area well-drained, Inspection Form Comments: There were standing water on the playground by the slide	Pending Correction
Failed - Center free of apparent hazards, Inspection Form Comments: There was missing outlet cover in the entrance area of the facility	Pending Correction
Failed - TB Test Date and Results, Staff Checklist	Pending Correction

Comments: missing	
Failed - Immunization Certificate, Child Checklist	Pending Correction
Comments: Immunization certificate is expired.	
Failed - Preadmission Form, Child Checklist	Pending Correction
Comments: Parent signatures, not initials, are needed.	
Failed - Preadmission Form, Child Checklist	Pending Correction
Comments: Parent signature, not initials, are needed.	
Failed - Preadmission Form, Child Checklist	Pending Correction
Comments: Address for Emergency contact is missing.	
Failed - Immunization Certificate, Child Checklist	Pending Correction
Comments: Certificate missing.	
Failed - Preadmission Form, Child Checklist	Pending Correction
Comments: Signatures for activities away from center, transportation, and swimming on second page are missing.	
Failed - Hazardous substances locked, Classroom Checklist / Infant 1	Pending Correction
Comments: Hazardous in a cabinet and closet was not under lock and key or combination. (Lysol spray, hand soap, dish wash liquid, and laundry soap)	
Failed - Medication locked, Classroom Checklist / Infant 1	Pending Correction
Comments: Medication was not under lock and key. (Teething medication)	
Failed - Barriers around heaters, fans, Classroom Checklist / INFANT 2	4/29/2026
Comments: There was a fan in the classroom without a barrier around it	
Failed - Hazardous substances locked, Classroom Checklist / INFANT 2	Pending Correction
Comments: There was a cabinet with hazardous substances not under lock and key or combination lock.	
Failed - *Non-wooden building blocks (approximately 20 non-interlocking), Classroom Checklist / Toddler 1	Pending Correction
Comments: missing	
Failed - Electrical outlets covered, Classroom Checklist / Toddler 1	Pending Correction
Comments: missing outlet covers	
Failed - *Large/medium building blocks-app. 15 non-interlocking, Classroom Checklist / Preschool	Pending Correction
Comments: missing	
Failed - *Magnifying glass, Classroom Checklist / Preschool	Pending Correction
Comments: missing	
Failed - *Magnets, Classroom Checklist / Preschool	Pending Correction
Comments: missing	
Failed - Labeled storage space at child level, Classroom Checklist / Preschool	Pending Correction
Comments: children space was not labeled	
Failed - *Large/medium building blocks-app. 15 non-interlocking, Classroom Checklist / Preschool 4yr	Pending Correction
Comments: missing	
Failed - Hazardous substances locked, Classroom Checklist / Preschool 4yr	Pending Correction

Comments: A cabinet with hazardous substances was not under lock and key

In infant one classroom there was an infant asleep in a bouncer.,
Ad Hoc

Pending Correction

Comments: NA

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 5-13-26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Lana Carr
Signature of Facility Representative

4-29-26
Date

SHYNECSA BLEVINS

Signature of DHR Licensing Representative

Shynessa Blevins
Natalie Sumrall
Date

COPIES TO: Director