

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: ONE ANGEL AT A TIME	Type of Facility : Center [] Day [X] OST [] Night [] Family [] University [] Group [X]	Date of Visit: 4/24/2026
Facility Address: 749 LILES BLVD, BREWTON, AL 36427, Escambia	Licensee: CICELY SALONE DEAN	Telephone #: (251) 809-4004
Ages: 0 Months to 12 Years	Director (if applicable):	Capacity: 12 12 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
ALL DEFICIENCIES CORRECTED THROUGH ARISE ON 04/29/2026.	
Failed - By August 1 2022 all home staff including licensee/substitutes/assistant caregivers must enroll in Alabama Pathways Professional Development Registry, Inspection Form Comments: INFORMATION UPLOADED TO ALABAMA PATHWAYS IS INCOMPLETE.	4/29/2026
Failed - Medical, Staff Checklist Comments: EXPIRED	4/7/2026
Failed - Medical, Staff Checklist Comments: EXPIRED	4/24/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



4/30/24