

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

| | | |
|--|---|--|
| Facility Name: EVANGEL CHRISTIAN PRESCHOOL | Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group [] | Date of Visit: 4/30/2026 |
| Facility Address: 3975 Vaughn Road, Montgomery, AL 36106, Montgomery | Licensee: EVANGEL CHRISTIAN PRESCHOOL | Telephone #: (334) 273-0730 |
| Ages: 6 Weeks to 5 Years | Director (if applicable): | Capacity: 90 / NA Day Night |

SECTION B - DEFICIENCY INFORMATION

| <u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY* | Date Corrected by Licensee |
|--|---------------------------------------|
| Deficiency Summary PUNISHMENT BY CHILD, Allegation Comments: on 2/19/26, per video footage, a staff member allowed two children to hit and push each other without intervening. Pending Correction, Ad Hoc Comments: NA Pending Correction, Ad Hoc Comments: NA | Pending Correction |
| ROUGH OR HARSH HANDLING, Allegation Comments: On 2/19/26, per video footage, a staff member used rough and harsh handling on a 3-year-old child. The child was picked up and shaken by the staff member. Pending Correction, Ad Hoc Comments: NA Pending Correction, Ad Hoc Comments: NA | Pending Correction |
| On 2/19/26, per video footage and staff statements, a staff member threatened a child with a yard stick in the 3 -year-old classroom., Ad Hoc Comments: NA Pending Correction, Ad Hoc Comments: NA Pending Correction, Ad Hoc Comments: NA | Pending Correction |
| Clorox wipes are not under lock and key in the 6 weeks to 18 month classroom., Ad Hoc Comments: NA | Pending Correction |

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form

must be returned to the Department of Human Resources on or before
5/7/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Rosemary 4/30/26
Hean _____
Signature of Facility Representative Date

JESSICA VICE 4/30/26

Signature of DHR Licensing Representative Date

COPIES TO: _____ Center _____