

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: KIDS SCHOLAR CDC CORP	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 4/9/2026
Facility Address: 1002 INGERSOLL DR #14, PHENIX CITY, AL 36867, Russell	Licensee: KIDS SCHOLAR CDC CORP	Telephone #: (334) 520-6012
Ages: 4 Weeks to 5 Years	Director (if applicable): LOLA LAKE	Capacity: 20 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Contaminated materials shall be disposed of properly in the bio-contaminant receptable, Inspection Form Comments: missing	4/9/2026
Failed - Equipment not designed to be portable, securely anchored, Inspection Form Comments: Swing set is not anchored properly	4/20/2026
Failed - Formula provided by parent, must be labeled, ready to feed, and refrigerated, Inspection Form Comments: bottle not labeled	4/23/2026
Failed - Vehicle safety check done annually, signed by certified mechanic, dated, and filed in center, Inspection Form Comments: annually inspection has not been done	4/23/2026
Failed - Health and Safety Training, Staff Checklist Comments: missing training	4/15/2026
Failed - Ongoing Training, Staff Checklist	4/20/2026

Comments: missing 2 hours

Failed - Health and Safety Training, Staff Checklist
Comments: missing hours

4/23/2026

Failed - Health and Safety Training, Staff Checklist
Comments: missing 11 hours

4/23/2026

Failed - Health and Safety Training, Staff Checklist
Comments: missing 11 hours

4/23/2026

Failed - Health and Safety Training, Staff Checklist
Comments: missing 11 hours

4/23/2026

Failed - Ongoing Training, Staff Checklist
Comments: missing 2 hours

4/23/2026

Failed - Health and Safety Training, Staff Checklist
Comments: missing hours

4/23/2026

Failed - Preadmission Form, Child Checklist
Comments: The parent's information on the front page of the
preadmission form is incomplete.

4/9/2026

Failed - Preadmission Form, Child Checklist
Comments: The parent's information on the front page of the
preadmission form is incomplete.

4/9/2026

Failed - Preadmission Form, Child Checklist
Comments: Preadmission form is incomplete.

4/9/2026

Failed - Preadmission Form, Child Checklist
Comments: Permission form is incomplete.

4/9/2026

Failed - Preadmission Form, Child Checklist
Comments: Preadmission form is incomplete.

4/9/2026

Failed - Preadmission Form, Child Checklist
Comments: Preadmission form is incomplete.

4/9/2026

Failed - Preadmission Form, Child Checklist
Comments: missing information

4/9/2026

Failed - Immunization Certificate, Child Checklist Comments: has expired	4/23/2026
Failed - Preadmission Form, Child Checklist Comments: Preadmission form is incomplete.	4/9/2026
Failed - Immunization Certificate, Child Checklist Comments: Immunization certificate is expired.	4/9/2026
Failed - Preadmission Form, Child Checklist Comments: Preadmission form is incomplete.	4/9/2026
Failed - Immunization Certificate, Child Checklist Comments: No record of immunization certificate.	4/23/2026
Failed - Preadmission Form, Child Checklist Comments: Preadmission form is incomplete.	4/9/2026
Failed - Immunization Certificate, Child Checklist Comments: No immunization certificate on file.	4/23/2026
Failed - Preadmission Form, Child Checklist Comments: Preadmission form is incomplete.	4/9/2026
Failed - Hazardous substances locked, Classroom Checklist / 24mo-36 mo Comments: cabinet was not lock with hazardous substances	4/9/2026
There was a screw on the floor in the 2 1/2 to 5 year old class., Ad Hoc Comments: NA	4/9/2026
In the 4 weeks to 24 months classroom, the teacher's purse was accessible on the toy shelf., Ad Hoc Comments: NA	4/9/2026
The chairs in the 2 1/2 to 5 year old classroom need cleaning., Ad Hoc Comments: NA	4/17/2026

completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 11/11, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

[Signature]
Signature of Facility Representative

5/11/26
Date

SHYNECSA BLEVINS

[Signature]
Signature of DHR Licensing Representative

5/11/26
Date

COPIES TO:

Director