

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

| | | |
|---|--|--|
| Facility Name: TOTS N TODDLERS LEARNING CENTER | Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/> | Date of Visit: 5/5/2026 |
| Facility Address: 35 TORNADO ALLEY, PARRISH, AL 35580, Walker | Licensee: KIMBERLY SUE SMITH RICE | Telephone #: (205) 522-5123 |
| Ages: 0 Weeks to 16 Years | Director (if applicable): AMY MCCULLAR | Capacity: 92 / NA Day Night |

SECTION B - DEFICIENCY INFORMATION

| Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY* | Date Corrected by Licensee |
|--|---------------------------------------|
| Deficiency Summary | |
| RATIOS MAINTAINED, Allegation | 4/2/2026 |
| Comments: Center did not notify the Department of an incident that occur on 10/30/2025 involving a child (10/20/2020) and a staff member within 24 hours and written report within Five days., Ad Hoc | 2/23/2026 |
| Comments: NA | |
| Per video footage viewed by the Department's Representative on 02/23/2026, a staff member restrained a Five -year-old child on or before 01/12/2026 on the gym floor by straddling and pinning the child down with her body and hands for an undetermined amount of time. The health, safety, and welfare of the child was at risk. , Ad Hoc | 2/27/2026 |
| Comments: NA | |
| Upon arrival on 02/23/2026, the Toddler's Classroom was out of ratio during napping/resting 16 children to 1 staff., Ad Hoc | 2/23/2026 |
| Comments: NA | |

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of

these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

Date

SHUNDR NEVELS

Signature of DHR Licensing Representative

Date

COPIES TO: _____