

ALABAMA DEPARTMENT OF HUMAN RESOURCES CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: ANN D JONES	Type of Facility : Center [] Day [X] OST [] Night [] Family [] University [] Group [X]	Date of Visit: 5/6/2026
Facility Address: 408 JOHNNIE MAE WARREN AV, TROY, AL 36081, Pike	Licensee: ANN JONES	Telephone #: (334) 566-1653
Ages: 8 Weeks to 12 Years	Director (if applicable):	Capacity: 12 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

SECTION 2 - DEFICIENCY INFORMATION	
<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Immunization Certificate, Child Checklist Comments: Expired	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing documentation	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Ann D. Jones

Signature of Facility Representative

AMY HORN

Signature of DHR Licensing Representative

May 6, 2026
Date

May 6, 2026

Date

COPIES TO: _____