

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: BRIGHT BEGINNINGS LEARNING CTR AT PROVID	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☒ Family ☐ University ☐ Group ☐	Date of Visit: 5/6/2026
Facility Address: 6803 AIRPORT BLVD, MOBILE, AL 36608, Mobile	Licensee: BRIGHT BEGINNINGS LRNING CTR AT PROV LLC	Telephone #: (251) 776-5540
Ages: 6 Weeks to 12 Years/6 Weeks to 12 Years	Director (if applicable): ANDREA TAYLOR	Capacity: 125 / 50 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Health and Safety Training, Staff Checklist Comments: 5/6/26 Missing 1-8 and 10 -11	Pending Correction
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: 5/6/26 Expired	Pending Correction
Failed - Written Verification of Standards Read, Staff Checklist Comments: 5/6/26 wrong form	5/6/2026
Failed - Health and Safety Training, Staff Checklist Comments: 5/6/26 Missing #10	Pending Correction
Failed - Medical, Staff Checklist Comments: 5/6/26 Not signed and dated by medical doctor, physician assistant or certified nurse practitioner.	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: 5/6/26 Missing #10	Pending Correction
5/6/26 one large bag of leaves and two bags of ready to mix cement bags on the playground. , Ad Hoc Comments: NA	5/6/2026
5/6/26 Exposed rust on crawl through tunnel on the playground. , Ad Hoc Comments: NA	5/6/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before

_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

LaDanika York

Signature of DHR Licensing Representative

05/22/24

Date

05/22/24

Date

COPIES TO: _____