

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: GOD CHOSE HATCHER ANGEL'S	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 5/6/2026
Facility Address: 101 WOODWARD RD, MIDFIELD, AL 35228, Jefferson	Licensee: FREDRIKA HATCHER	Telephone #: (205) 929-0777
Ages: 6 Weeks to 13 Years	Director (if applicable): FREDRIKA HATCHER	Capacity: 44 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	<u>Date Corrected by</u> <u>Licensee</u>
Deficiency Summary	
Failed - Gates secured, Inspection Form Comments: On 5/6/26, the gate on the preschool playground was not secured.	Pending Correction
Failed - Shade and sun areas provided, Inspection Form Comments: On 5/6/26, there was no shade area on the playgrounds.	Pending Correction
Failed - No screen time for children under 2 years of age, Inspection Form Comments: On 5/6/26, the infants were having screen time.	5/6/2026
Failed - Each child signed in and signed out with a written signature or bio-metric ID, Inspection Form Comments: On 5/6/26, there were seventeen (17) children present with thirteen (13) signed in.	Pending Correction
Failed - Hazardous substances locked, Classroom Checklist / infant Comments: On 5/6/26, disinfectant spray, disinfect wipes, and a staff person's purse were not under lock and key.	5/6/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 5/20/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Fredrick Hatoh
Signature of Facility Representative

5/18/26
Date

AJOIA MCGHEE
Signature of DHR Licensing Representative

5/6/26
Date

COPIES TO: _____ Center _____