

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: ARDENT PRESCHOOL CLIFT FARMS	Type of Facility : Center [X] Day [X]            OST [ ] Night [ ]           Family [ ] University [ ] Group [ ]	Date of Visit: 5/7/2026
Facility Address: 176 UNCLE FRANK BLVD, MADISON, AL 35757, Madison	Licensee: ARDENT PRESCHOOL CLIFT FARMS, LLC	Telephone #: (256) 678-8093
Ages: 6 Weeks to 6 Years	Director (if applicable): JOHN LABRECHE	Capacity: 286       /    NA Day            Night

**SECTION B - DEFICIENCY INFORMATION**

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
<b>Deficiency Summary</b>	
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: On 5/7/26, staff's file is missing suitability letter.	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: On 5/7/26, staff's file is missing current health & safety training #10 (First Aid and CPR).	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: On 5/7/26, staff's file is missing current health & safety training #10 (First Aid and CPR).	Pending Correction
Failed - Hazardous substances locked, Classroom Checklist / Infant 2A Comments: There were cleaning products in an unlocked cabinet	5/7/2026

**INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 5/21/2026, as verification that deficiencies have been corrected.**

**NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.**

Elizabeth Lanier-Cook  
*Signature of Facility Representative*

5/7/2026  
Date

LATONYA JAMES

\_\_\_\_\_  
*Signature of DHR Licensing Representative*

5/7/2026  
Date

COPIES TO: Elizabeth Lanier-Cook \_\_\_\_\_