

Comments: Training hours are missing as of 4/14/26.	
Failed - Ongoing Training, Staff Checklist Comments: Training hours are missing as of 4/14/26.	4/29/2026
Failed - Health and Safety Training, Staff Checklist Comments: Training hours are missing as of 4/14/26.	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Training hours are missing as of 4/14/26.	4/29/2026
Failed - Health and Safety Training, Staff Checklist Comments: Training hours are missing as of 4/14/26.	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Training hours are missing as of 4/14/26.	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: Training hours are missing as of 4/14/26.	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 5/28/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Rebecca Welch
Signature of Facility Representative

5-22-26
Date

AJOIA MCGHEE
Signature of DHR Licensing Representative

5/15/26
Date

COPIES TO: Center