

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A - IDENTIFYING INFORMATION

Facility Name: ANGEL FACES PRESCHOOL	Type of Facility : Center <input checked="" type="checkbox"/> [X] Day <input checked="" type="checkbox"/> [X] Night <input type="checkbox"/> [] OST <input type="checkbox"/> [] Family <input type="checkbox"/> [] University <input type="checkbox"/> [] Group <input type="checkbox"/> []	Date of Visit: 5/13/2026
Facility Address: 2101 BIRMINGHAM AVENUE, JASPER, AL 35501, Walker	Licensee: SANDRA GARRISON	Telephone #: (205) 295-2273
Ages: 0 Weeks to 11 Years	Director (if applicable): SANDRA L GARRISON	Capacity: Day 90 / NA Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency	HAZARDS MUST BE CORRECTED IMMEDIATELY*	Licensee
Date Corrected by		

Deficiency Summary	CHILD ABUSE AND NEGLECT, Allegation	6/30/2026
Comments: On 05/13/26, per staff statement on or before 05/07/26, a staff was witnessed using inappropriate discipline in handling a child in the Toddler Classroom, Ad Hoc	Comments: NA	6/30/2026
On 05/13/26, per staff statement on or before 05/07/26, a staff was witnessed using rough and harsh handling of a child in the Toddler Classroom, Ad Hoc	Comments: NA	6/30/2026
According to staff statement, the facility failed to comply with their operating policies in reference to discipline children, Ad Hoc	Comments: NA	5/29/2026
Per staff statement on 05/13/26, the facility is telling staff to make false statements to the Department, Ad Hoc	Comments: NA	5/19/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of

these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Shundra Nevells
Signature of Facility Representative

SHUNDR NEVELS

5/20/26
Date

Signature of DHR Licensing Representative

Date

COPIES TO: _____