

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: PURPOSE CHILDCARE AND ACADEMY, LLC.	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 5/22/2026
Facility Address: 1345 S MEMORIAL DR., PRATTVILLE, AL 36067, Autauga	Licensee: PURPOSE CHILDCARE AND ACADEMY, LLC	Telephone #: (334) 312-0113
Ages: 6 Weeks to 12 Years	Director (if applicable): DAVINA TOLVER	Capacity: 97 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary Plug is missing a protective cover in the 6 weeks to 18 month classroom., Ad Hoc Comments: NA	5/22/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____^x_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Gabrielle Nixon

Signature of Facility Representative

JESSICA VICE

Date

5/22/26

Signature of DHR Licensing Representative

Date

COPIES TO: _____ Center _____