

Plan of Correction

SECTION A - IDENTIFYING INFORMATION

Facility Name: BRIGHT IDEAS ENRICHMENT CENTER- AUBURN	Type of Facility: Center <input checked="" type="checkbox"/> OST <input type="checkbox"/> Day <input checked="" type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Night <input type="checkbox"/> Group <input type="checkbox"/>
Physical Address: 1675 SHUG JORDAN PKWY AUBURN, AL 36830	Mailing Address:
Telephone Number: (334) 887-5730	Licensee: BRIGHT IDEAS ENRICHMENT CENTER, LLC
Capacity: 180	Director: ASHELY SULLINS
Age Range: 6 Weeks to 12 Years	Date Prepared: 5/27/2026

SECTION B - BASIS FOR PLAN OF CORRECTION

List each deficiency, the plan of action, and the target date for each item:

Deficiency Plan of Correction	Date to be completed
Paint is chipping on the wall in the 3-4 year old classroom. , Ad Hoc Plan of Action - will touch up paint within 10	6/1/2026
Hazardous substance is not under lock and key in the 3-4 year old classroom (soap which states keep out of reach of children), Ad Hoc Plan of Action - was corrected today	5/20/2026
There is hazardous substance not under lock and key in infant room 1 (air freshener)., Ad Hoc Plan of Action - was corrected today	5/20/2026
There is hazardous substance not under lock and key in the hallway (air freshener). , Ad Hoc Plan of Action - was corrected today	5/20/2026
In the 3-4 year old classroom, the carpet is dirty. , Ad Hoc Plan of Action - will hire a cleaning crew within 10 days	6/1/2026
An outlet cover is missing in the 4-5 year old room., Ad Hoc Plan of Action - will cover today	5/22/2026
In the 4 year old room, the back door was propped open., Ad Hoc Plan of Action - was corrected today	5/20/2026
An outlet cover is missing in the 2 year old classroom., Ad Hoc Plan of Action - will correct today	5/21/2026
An outlet cover is missing in the 1-2 year old classroom. , Ad Hoc Plan of Action - will cover today	5/21/2026
An outlet cover is missing in the crawlers 1 classroom (on the power surg cord), Ad Hoc Plan of Action - will cover today	5/21/2026

In the infant room, there was a sleeping infant wearing a bib in a crib., Ad Hoc Plan of Action - corrected immediately	5/27/2026
In the 6m-12m classroom, there was a sleeping infant wearing a bib in a crib., Ad Hoc Plan of Action - corrected immediately	5/27/2026
Little Rascals classroom (late 1, early 2 year olds) is missing a thermometer. , Ad Hoc Plan of Action - corrected tomorrow will purchase/look for	5/28/2026
Awesome Blossoms classroom (3-4 year olds) is missing a thermometer. , Ad Hoc Plan of Action - will purchase/look for today	5/28/2026
DHR was not notified within 24 hours about damage to the facility. , Ad Hoc Plan of Action - I understand the standard of contacting DHR	5/27/2026
Service staff was on site during operating hours., Ad Hoc Plan of Action - I understand that service work will have to be done after hours	5/27/2026
APPARENT HAZARDOUS CONDIT, Allegation Plan of Action - I understand keeping kids safe	5/27/2026
MAJOR DAMAGE TO FACILITY, Allegation Plan of Action - I understand the standard of contacting DHR	5/27/2026
REPORTS TO THE DEPARTMENT, Allegation Plan of Action - I understand the standard of contacting DHR	5/27/2026