

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: FAITH CHRISTIAN	Type of Facility : Center [X] Day [X] OST [] Night [X] Family [] University [] Group []	Date of Visit: 5/28/2026
Facility Address: 3734 ATLANTA HIGHWAY, MONTGOMERY, AL 36109, Montgomery	Licensee: FAITH CHRISTIAN CENTER INC	Telephone #: (334) 201-9849
Ages: 6 Weeks to 12 Years/12 Months to 12 Years	Director (if applicable): SAMETRA NELSON	Capacity: 175 / 30 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary Cribs in infant room have chipping paint in pathway of children., Pending Correction Ad Hoc Comments: NA Bathroom 2 has rust on stall walls in pathway of children., Ad Hoc Pending Correction Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

KAREN JACKSON-MOULTON

Date

***Signature of DHR Licensing
Representative***

Date

COPIES TO: _____