

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: CHAMBERS ACADEMY EARLY LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 5/29/2026
Facility Address: 15046 US Highway 431, Lafayette, AL 36862, Chambers	Licensee: CHAMBERS ACADEMY ELC	Telephone #: (334) 864-7211
Ages: 6 Weeks to 10 Years	Director (if applicable):	Capacity: 73 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary No deficiencies noted at viist	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before K , as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate/in compliance with Performance Standards.


Signature of Facility Representative

BRIDGETTE SMITH

Signature of DHR Licensing
Representative

 5/29/26
Date

 5/29/26
Date

COPIES TO: Director