

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A - IDENTIFYING INFORMATION

Facility Name: KIDZ LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 5/27/2026
Facility Address: 413 Reverend Abraham Woods Junior Boulevard, Birmingham, AL 35203, Jefferson	Licensee: TYNETTA BYRD	Telephone #: (205) 965-3764
Ages: 6 Weeks to 12 Years	Director (if applicable): TYNETTA BYRD	Capacity: 25 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Lighting adequate at nap/rest time to allow children to be seen, Inspection Form Comments: On 5/27/26, there was inadequate lighting during nap/ rest time.	5/27/2026
Failed - Immunization Certificate, Child Checklist Comments: On 5/27/26, the child's immunization certificate was expired.	6/2/2026
Failed - Preadmission Form, Child Checklist Comments: On 5/27/26, the signatures/ dates on page two (2) of the preadmission form were missing.	6/2/2026
Failed - Immunization Certificate, Child Checklist Comments: On 5/27/26, the child did not have an immunization certificate.	6/2/2026
Failed - Immunization Certificate, Child Checklist Comments: On 5/27/26, the child did not have an immunization certificate.	6/2/2026

--

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____n/a_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

AJOIA MCGHEE

Date

6/2/26

Signature of DHR Licensing Representative

Date

COPIES TO: _____ Center _____