

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: UNITED CEREBRAL PALSY PRESCHOOL	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 6/2/2026
Facility Address: 3058 Dauphin Square Connector, Mobile, AL 36607, Mobile	Licensee: UNITED CEREBRAL PALSY PRESCHOOL	Telephone #: (251) 479-4900
Ages: 3 Years to 10 Years	Director (if applicable): CHARMAINE CABBAGESTALK	Capacity: 52 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
<p>Deficiency Summary</p> <p>Per video footage and staff statements ON WEDNESDAY, MAY 20, 2026, A 5 YR. OLD CHILD WAS LEFT ON THE PLAYGROUND BY HIS TEACHER FOR Approximately 7 minutes. ANOTHER TEACHER FROM ANOTHER CLASSROOM NOTICED THE CHILD OUTSIDE PLAYING IN THE TUNNEL. THE PARENTS WERE called on the phone(WEDNESDAY, MAY 20, 2026) and notified of the incident., Ad Hoc Comments: NA</p>	Pending Correction
<p>Per staff statement on May 20 at approximately 10:15 the graduating children and teachers went on a walking field trip to the Jr League Building. The children walked out of the parking lot on Dauphin street connector to sage ave and then down the street to the Jr League Building, without proper field trip transportation forms., Ad Hoc Comments: NA</p>	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department

and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Charmaine Cabbagestalk

06/02/2026

Signature of Facility Representative

Date

LaDanika York

Signature of DHR Licensing Representative

Date

COPIES TO: _____