

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: FRANK E. CURRY CHILD DEV. CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 6/3/2026
Facility Address: 229 Broadway Avenue, Talladega, AL 35160, Talladega	Licensee: TALLADEGA CLAY RANDOLPH CHILD CARE CORP	Telephone #: (256) 761-2911
Ages: 6 Weeks to 6 Years	Director (if applicable):	Capacity: 76 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
No deficiencies noted	
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: missing	6/3/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: missing	6/3/2026
On May 1, 2026, eight (8) staff members are missing the required suitability letters, Ad Hoc Comments: NA	6/3/2026
On May 1 2026,two (2) staff members are missing the required CAN forms, Ad Hoc Comments: NA	6/4/2026
On May 1, 2026, classroom A (ages 3yrs - 5years) is out of ratio due to 2 staff members not having the required suitability letter on file, Ad Hoc Comments: NA	5/1/2026
On May 1, 2026, classroom B (ages 3yrs - 5years) is out of ratio due to 1 staff member not having the required suitability letter on file, Ad Hoc Comments: NA	5/1/2026
On May 1, 2026, classroom C (ages 6 weeks - 3 years) is out of ratio due to a staff member not having the required suitability letter on file, Ad Hoc Comments: NA	5/1/2026

On May 1, 2026, classroom D (ages 6 weeks - 3 years) is out of ratio due to a staff member not having the required suitability letter on file, Ad Hoc 5/1/2026

Comments: NA

On May 1, 2026, PreK classroom (ages 4yrs - 5years) is out of ratio due to a staff member not having the required suitability letter on file, Ad Hoc 5/1/2026

Comments: NA

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Vergena Richardson

06/03/2026

Signature of Facility Representative

Date

BRIDGETTE SMITH

Signature of DHR Licensing Representative

Date

COPIES TO: _____