

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: MT. ARARAT LEARNING AND DEVELOPMENT CTR.	Type of Facility : Center [X] Day [X]            OST [ ] Night [ ]        Family [ ] University [ ] Group [ ]	Date of Visit: 6/3/2026
Facility Address: 7172 OLD MILITARY ROAD, THEODORE, AL 36582, Mobile	Licensee: MT. ARARAT MISSIONARY BAPTIST CHURCH	Telephone #: (251) 653-6201
Ages: 6 Weeks to 12 Years	Director (if applicable): SHYTIRIA PARKER	Capacity: 90        /        NA Day        Night

**SECTION B - DEFICIENCY INFORMATION**

<b>Performance Standard Deficiency</b> <b><i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i></b>	<b>Date Corrected by</b> <b>Licensee</b>
<b>Deficiency Summary</b> 6/3/26 Hazardous chemicals not under lock and key or combination lock in the Three's, EHS Toddler C, and private side Toddlers classrooms, Ad Hoc Comments: NA	Pending Correction
6/3/26 Staff purse not under lock and key or combination lock. , Ad Hoc Comments: NA	Pending Correction
6/3/26 There are plug covers missing in the Three's, EHS Toddler C, and Private Side Toddlers classrooms., Ad Hoc Comments: NA	Pending Correction
6/3/26 The infant classroom has dangling cords, causing a tripping hazard. , Ad Hoc Comments: NA	Pending Correction
6/3/26 Infant/Toddler class out of ratio on the playground. , Ad Hoc Comments: NA	Pending Correction
6/3/26 There is visible fabric coming from under the mulch on the playground, causing a tripping hazard., Ad Hoc Comments: NA	Pending Correction
6/3/26 There is wrapped up fencing and a metal pole on the playground that is accessible to the children, causing safety risk., Ad Hoc Comments: NA	Pending Correction
6/3/26 Infant/Toddler classes were not being supervised at all times	Pending Correction

on the playground. , Ad Hoc	
Comments: NA	
6/3/26 There were not second portions available for children asking for additional servings at lunch. , Ad Hoc	Pending Correction
Comments: NA	
6/3/26 The hallway door leading to the playground was propped open. , Ad Hoc	Pending Correction
Comments: NA	

**INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 06/17/26, as verification that deficiencies have been corrected.**

**NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.**

\_\_\_\_\_  
**Signature of Facility Representative**

*LaDanika York*

\_\_\_\_\_  
Date

**06/03/26**

\_\_\_\_\_  
**Signature of DHR Licensing Representative**

\_\_\_\_\_  
Date

COPIES TO: \_\_\_\_ Facility\_\_\_\_\_