

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: CAPSTONE LEARNING ACADEMY	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 6/3/2026
Facility Address: 1300 21ST STREET E, TUSCALOOSA, AL, 35404, Tuscaloosa	Licensee: KINDER CARE EDUCATION AT WORK LLC	Telephone #: (659) 216-2990
Ages: 6 Weeks to 5 Years	Director (if applicable): YOLANDA PATTON	Capacity: 250 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Center free of apparent hazards, Inspection Form Comments: Cleaning with supplies that have strong smells, is being done while infants are present.	Pending Correction
Failed - Hazardous substances under lock and key or combination lock, Inspection Form Comments: Purses and cleaning supplies	Pending Correction
Failed - Children younger than 2 ½ grouped separately, Inspection Form Comments: During an incident, one four old child was taken to the toddler classroom.	Pending Correction
Failed - All children supervised at all times, Inspection Form Comments: All children are not being supervised at all times, during naptime.	Pending Correction
Failed - Infants held for bottle feeding, Inspection Form Comments: incomplete	Pending Correction
Failed - Discipline appropriate to age and developmental level of the children, Inspection Form Comments: On 5/7/2026, one child(4-years-old) was paraded around the building wearing a pull-up (per staff's statement).	Pending Correction
Failed - No verbal abuse, Inspection Form Comments: On 5/7/2026, one child(4-years-old) was paraded around the building wearing a pull-up (per staff's statement).	Pending Correction
On 6/3/2026, upon arrival, on child was left (front entrance)	Pending Correction

unsupervised at all times. , Ad Hoc Comments: NA	
The corrective action notice is not posted in a conspicuous place., Ad Hoc Comments: NA	Pending Correction
The monitoring checklist was not submitted to the Department by June 2, 2026. , Ad Hoc Comments: NA	Pending Correction
There is a staff counted in the ratio that doesn't meet child worker qualifications. , Ad Hoc Comments: NA	Pending Correction
There is a staff counted in the ratio with incomplete background checks, Ad Hoc Comments: NA	Pending Correction
The parents were not notified of the corrective action by June 2, 2026, Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative _____
Date

BRANDUL PERINE

Signature of DHR Licensing Representative _____
Date

COPIES TO: _____