


**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: O2B KIDS CAPSHAW	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>	Date of Visit: 6/3/2026
Facility Address: 6715 WALL TRIANA HWY, HUNTSVILLE, AL 35757, Madison	Licensee: O2B EARLY EDUCATION HOLDING, INC	Telephone #: (352) 338-9660
Ages: 6 Weeks to 12 Years	Director (if applicable): OLIVIA WALLACE	Capacity: 180 / NA Day Night


SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
There were no deficiencies noted during today's visit.	
Per written statements and video footage, on March 20, 2026, a three (3) year old child was found by a staff member in the Sophomore A classroom unsupervised for approximately six (6) minutes., Ad Hoc Comments: NA	Pending Correction
The facility failed to report to the Department within twenty-four hours, that a child was found unsupervised in a classroom., Ad Hoc Comments: NA	Pending Correction
On April 13, 2026, the Department Representative observed hazardous substances stored in a corner of the hallway near the back entrance leading to the preschool/pre-K playground., Ad Hoc Comments: NA	4/13/2026
In the four (4) year old (multi- age) classroom, there was cleaning disinfecting spray sitting near the sink., Ad Hoc Comments: NA	4/13/2026
There was a staff's purse sitting on the desk in the front lobby area., Ad Hoc Comments: NA	4/30/2026



INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 6/17/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

LATONYA JAMES

6.3.2026
Date

Signature of DHR Licensing Representative

6/3/2026
Date

COPIES TO: Olivia Wallace