

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS
DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name:	Type of Facility : Center ☒	Date of Visit:
STAY AND PLAY CHRISTIAN NURSERY, LLC	Day ☒ OST ☐ Night ☐	6/2/2026
	Family ☐	
	University ☐	
	Group ☐	

Facility Address:	Licensee:	Telephone #:
302 E PERRY ST, DEMOPOLIS, AL 36732, Marengo	STAY AND PLAY CHRISTIAN NURSERY, LLC	(334) 289-3844
Ages:	Director (if applicable):	Capacity:
6 Weeks to 12 Years	LAUREN BICE	30 /NA
		Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u>	<u>Date Corrected by</u>
<i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	<u>Licensee</u>

Deficiency Summary

Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form	5/16/2026
Comments: grass is too tall on toddler playground and front right gate entrance, on the toddler playground the yellow, blue red slide climbing apparatus has cracked edges, there are weeds and sticky briar bushes protruding the fence line on toddler playground	

Failed - Outdoor play area free of apparent hazardous conditions, Inspection Form	5/16/2026
Comments: There is a mossy ground on right front entrance with	

Failed - Photo ID Verification, Staff Checklist 5/16/2026
Comments: missing

Failed - Medical, Staff Checklist 5/23/2026
Comments: expired

Failed - Ongoing Training, Staff Checklist 5/22/2026
Comments: missing

Failed - Health and Safety Training, Staff Checklist 5/22/2026
Comments: missing

Failed - Photo ID Verification, Staff Checklist 5/22/2026
Comments: missing

Failed - References, Staff Checklist 5/22/2026
Comments: missing

Failed - Photo ID Verification, Staff Checklist 5/22/2026
Comments: missing

Failed - Ongoing Training, Staff Checklist 5/22/2026
Comments: missing

Failed - Health and Safety Training, Staff Checklist 5/22/2026
Comments: missing

Failed - Photo ID Verification, Staff Checklist 5/22/2026
Comments: missing

Failed - Ongoing Training, Staff Checklist 5/22/2026
Comments: missing

Failed - Health and Safety Training, Staff Checklist 5/22/2026
Comments: missing

Failed - Photo ID Verification, Staff Checklist 5/22/2026
Comments: missing

Failed - References, Staff Checklist 5/22/2026
Comments: missing

Failed - Ongoing Training, Staff Checklist 5/22/2026
Comments: missing

Failed - Health and Safety Training, Staff Checklist 5/22/2026
Comments: missing

Failed - Photo ID Verification, Staff Checklist 5/22/2026
Comments: missing

Failed - Ongoing Training, Staff Checklist 5/22/2026
Comments: missing

Failed - Health and Safety Training, Staff Checklist 5/22/2026
Comments: missing

Failed - Diapering area, Classroom Checklist / Infant 5/22/2026
Comments: diaper pad torn

Failed - Hazardous substances locked, Classroom Checklist / Toddler 5/14/2026
Comments: baby lotion disinfected wipes Cetaphil resinol febreze
bourdereaux paste

Failed - Hazardous substances locked, Classroom Checklist / 24-36 5/14/2026
Month
Comments: baby lotion febreze dove deodorant


The tv screen is on in the infant room (6wks-18m)., Ad Hoc 5/14/2026
Comments: NA

The front restroom on the left side has a floor ac vent with exposed rust., Ad Hoc 5/16/2026
Comments: NA

The merry go round on the right corner of the outside area is peeling paint., Ad Hoc 6/2/2026
Comments: NA

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before n/a, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

6/4/26
Date

KAMILA CROWELL

Signature of DHR Licensing Representative

06-04-2026
Date