

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: BIBLE BABIES LEARNING ACADEMY SITE II	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 6/4/2026
Facility Address: 209 GUNN ROAD, MONTGOMERY, AL 36117, Montgomery	Licensee: KINGDOM SEEKERS WORSHIP CENTER	Telephone #: (334) 649-1722
Ages: 3 Years to 13 Years	Director (if applicable): COURTNEY HARKLESS	Capacity: 90 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: Prickly vines and weeds along the playground fence.	6/4/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Lauren Hamann
Signature of Facility Representative

06/04/2026
Date

JESSICA VICE
Signature of DHR Licensing Representative

06/04/2026
Date

COPIES TO: _____ Center _____