

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: PAIGE'S HOME DAYCARE	Type of Facility : Center [] Day [X] OST [] Night [] Family [X] University [] Group []	Date of Visit: 3/12/2026
Facility Address: 1602 PRESTON STREET, OPELIKA, AL 36801, Lee	Licensee: PAIGE WALLER	Telephone #: (334) 728-4084
Ages: 6 Weeks to 5 Years	Director (if applicable):	Capacity: 6 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
All deficiencies have been cleared.	
No new deficiencies noted at today's visit.	
Failed - Outdoor play area and equipment free from apparent hazards, Inspection Form Comments: There is one loose board at the bottom near the right side of the playground fence.	3/12/2026
Failed - Fire, Inspection Form Comments: Fire drill documentation is not on file for previous quarter.	3/12/2026
Failed - Tornado, Inspection Form Comments: Tornado drill documentation is not on file for previous quarter.	3/12/2026
Failed - Lockdown, Inspection Form Comments: Lockdown drill documentation is not on file for previous quarter.	3/12/2026
Failed - Relocation, Inspection Form Comments: Relocation drill documentation is not on file for previous quarter.	3/12/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: Suitability determination is not the correct one (can't be relied upon for Child Care and Development Block Grant (CCDBGGA)).	3/11/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A , as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

Date

Shaunda Reaves

03/12/2026

Signature of DHR Licensing Representative

Date

COPIES TO: Licensee

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Paige Walker
Signature of Facility Representative

3/12/2026
Date

Shaunda Reaves

Signature of DHR Licensing Representative

03/12/2026

Date

COPIES TO: Licensee