

Plan of Correction

SECTION A - IDENTIFYING INFORMATION

Facility Name: COMMUNITY NURSERY & PRESCHOOL ACADEMY	Type of Facility: Center <input checked="" type="checkbox"/> OST <input type="checkbox"/> Day <input checked="" type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Night <input checked="" type="checkbox"/> Group <input type="checkbox"/>
Physical Address: 2733 SCHILLINGER ROAD MOBILE, AL 36695	Mailing Address: P O BOX 16335 MOBILE, AL, 36616
Telephone Number: (251) 217-7292	Licensee: COMMUNITY CHURCH MINISTRIES-PRESCHOOL
Capacity: 116	Director: ANGELA COKER
Age Range: 6 Weeks to 12 Years 6 Weeks to 12 Years	Date Prepared: 6/5/2026

SECTION B - BASIS FOR PLAN OF CORRECTION

List each deficiency, the plan of action, and the target date for each item:

Deficiency Plan of Correction	Date to be completed
Failed - Electrical outlets covered, Classroom Checklist / Afterschool Plan of Action - corrected doing visit	6/5/2026
Failed - Hazardous substances locked, Classroom Checklist / Afterschool Plan of Action - corrected doing visit	6/5/2026
Failed - Containers labeled, Classroom Checklist / Afterschool Plan of Action - corrected doing visit	6/5/2026
Failed - Containers labeled, Classroom Checklist / Nursery Plan of Action - corrected doing visit	6/5/2026
Failed - Verification of Education, Staff Checklist Plan of Action - will upload document	6/19/2026
Failed - Photo ID Verification, Staff Checklist Plan of Action - will upload document	6/19/2026
Failed - Verification of Education, Staff Checklist Plan of Action - will upload document	6/19/2026
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Plan of Action - Maintenances will come complete the job in a week	6/19/2026
Failed - *Digging or sand area, Inspection Form Plan of Action - We will get some sand	6/19/2026
Failed - *Toys for digging, Inspection Form Plan of Action - We will get some digging toys	6/19/2026

Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Plan of Action - Maintenance going to take care of that as well	6/19/2026
Failed - Equipment not designed to be portable, securely anchored, Inspection Form Plan of Action - Maintenance will do that too	6/19/2026
Failed - Two staff with infant-child CPR and first aid present during all hours of operation, Inspection Form Plan of Action - corrected doing visit. Staff printed and added to file	6/5/2026
Failed - Soft material prohibited in infant's sleeping environment, no pillows, quilts, comforters, etc., Inspection Form Plan of Action - Corrected doing visit	6/5/2026