

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: MONTESSORI AT MULBERRY	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 5/7/2026
Facility Address: 2034 CLUBVIEW ST, MONTGOMERY, AL 36106, Montgomery	Licensee: MONTESSORI AT MULBERRY, LLC.	Telephone #: (334) 265-7733
Ages: 12 Months to 6 Years	Director (if applicable): TERRI JACKSON	Capacity: 59 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Most recent fire inspection report within 5 years. Inspection Form Comments: fire inspection has violation	5/21/2026
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: two staff not enrolled	5/21/2026
Failed - Application, Staff Checklist Comments: missing	5/21/2026
Failed - Photo ID Verification, Staff Checklist Comments: missing	5/21/2026
Failed - Medical, Staff Checklist Comments: missing	5/21/2026
Failed - TB Test Date and Results, Staff Checklist Comments: missing	5/21/2026


Failed - Verification of Education, Staff Checklist
Comments: missing

5/21/2026

--

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before n/a , as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

KAMILA CROWELL

06/08/2026

Date

Signature of DHR Licensing Representative

06-08-2026

Date

COPIES TO: director