

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: PRIMROSE SCHOOL AT LIBERTY PARK	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 5/14/2026
Facility Address: 1800 URBAN CENTER PKWY., VESTAVIA HILLS, AL 35242, Jefferson	Licensee: MRC ASSOCIATES, LLC	Telephone #: (205) 969-8202
Ages: 6 Weeks to 12 Years	Director (if applicable): CAILYN SCHOUBERT	Capacity: 161 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - 0 up to 18 months 1 to 5, Inspection Form Comments: On 5/14/26, one of the infant classrooms was out of ratio.	5/14/2026
Failed - Character and suitability review conducted on required person (every 5 years), Inspection Form Comments: On 5/14/26, there was a staff person working at the facility without the correct character and suitability review.	6/8/2026
Failed - Medical, Staff Checklist Comments: On 5/14/26, the staff person's medical was expired.	6/8/2026
Failed - Medical, Staff Checklist Comments: On 5/14/26, the staff person did not have documentation of a medical.	6/8/2026
Failed - TB Test Date and Results, Staff Checklist Comments: On 5/14/26, the staff person did not have documentation of a TB test.	6/8/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____n/a_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

AJOLA MCGHEE

Date

6/8/26

Signature of DHR Licensing Representative

Date

COPIES TO: _Center_____