

Plan of Correction

SECTION A - IDENTIFYING INFORMATION

| | |
|--|--|
| Facility Name: SUNNI LAND CHILD CARE CENTER | Type of Facility: Center <input checked="" type="checkbox"/> OST <input type="checkbox"/> Day <input checked="" type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Night <input checked="" type="checkbox"/> Group <input type="checkbox"/> |
| Physical Address: 2901 SCHILLINGER RD N SEMMES, AL 36575 | Mailing Address: |
| Telephone Number: (251) 645-3664 | Licensee: SUNNI LAND CHILD CARE CENTER |
| Capacity: 122 | Director: VALERIE REED |
| Age Range: 6 Weeks to 12 Years 6 Weeks to 12 Years | Date Prepared: 5/19/2026 |

SECTION B - BASIS FOR PLAN OF CORRECTION

List each deficiency, the plan of action, and the target date for each item:

| Deficiency Plan of Correction | Date to be completed |
|--|----------------------|
| Failed - Ongoing Training, Staff Checklist Plan of Action - Staff will upload the training | 6/20/2026 |
| Failed - Health and Safety Training, Staff Checklist Plan of Action - Staff will upload the training | 6/20/2026 |
| Failed - Ongoing Training, Staff Checklist Plan of Action - Staff will upload the training | 6/20/2026 |
| Failed - Health and Safety Training, Staff Checklist Plan of Action - Staff will upload the training | 6/20/2026 |
| Failed - Health and Safety Training, Staff Checklist Plan of Action - Staff will upload the training | 6/20/2026 |
| Failed - Ongoing Training, Staff Checklist Plan of Action - Staff will upload the training | 6/20/2026 |
| Failed - Health and Safety Training, Staff Checklist Plan of Action - Staff will upload the training | 6/20/2026 |
| Failed - Ongoing Training, Staff Checklist Plan of Action - Staff will upload the training | 6/20/2026 |
| Failed - Health and Safety Training, Staff Checklist Plan of Action - Staff will upload the training | 6/20/2026 |
| Failed - Indoor thermometer (child safe), Classroom Checklist / FCPK Plan of Action - Thermometer will be placed in the FCPK room | 6/5/2026 |
| Failed - Indoor thermometer (child safe), Classroom Checklist / k3 Plan of Action - Thermometer will be placed in the k3 room. | 6/5/2026 |

| | |
|--|-----------|
| Failed - Indoor thermometer (child safe), Classroom Checklist / Nursery Plan of Action - A thermometer will be placed in the room | 6/5/2026 |
| Failed - Indoor thermometer (child safe), Classroom Checklist / wobbler 2 Plan of Action - Thermometer will be placed in the Wobbler 2 room. | 6/5/2026 |
| Failed - Written schedule posted with 60-90 minutes of active play, Classroom Checklist / school age room Plan of Action - A schedule will be created and posted in the school age room | 6/4/2026 |
| Staff file is incomplete, missing CA/N., Ad Hoc Plan of Action - awaiting CA/N arrival in the mail | 6/15/2026 |
| Failed - Preadmission Form, Child Checklist Plan of Action - Daylen Preadmission Form form will be completed | 6/5/2026 |
| Failed - Preadmission Form, Child Checklist Plan of Action - Corrected preadmission form | 6/4/2026 |
| Failed - Immunization Certificate, Child Checklist Plan of Action - Parent will get an up to date immunization form | 6/25/2026 |
| Failed - Preadmission Form, Child Checklist Plan of Action - Form will be completed | 6/4/2026 |
| Failed - Preadmission Form, Child Checklist Plan of Action - corrected form will be uploaded | 6/4/2026 |
| Failed - Preadmission Form, Child Checklist Plan of Action - Parent will fill out a new form | 6/8/2026 |
| Failed - Preadmission Form, Child Checklist Plan of Action - corrected file will be uploaded | 6/4/2026 |
| Failed - Preadmission Form, Child Checklist Plan of Action - parent will complete form | 6/4/2026 |
| Failed - Preadmission Form, Child Checklist Plan of Action - Form will be corrected | 6/4/2026 |
| Failed - Vehicle safety check done annually, signed by certified mechanic, dated, and filed in center, Inspection Form Plan of Action - inspection forms will be completed and uploaded | 6/10/2026 |
| Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Plan of Action - Staff will upload all training and education into pathway | 6/20/2026 |
| Failed - Health and Safety Training, Staff Checklist Plan of Action - Staff will upload the training | 6/20/2026 |
| Crawl through has sharp edge and is rusted. , Ad Hoc Plan of Action - The item will be removed. | 6/10/2026 |