

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: TILLMANS CORNER HEADSTART & EARLY HEADSTART CHILD DEVELOPMENT CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 5/1/2026
Facility Address: 5837 Three Notch Road, Mobile, AL 36619, Mobile	Licensee: MOBILE COMMUNITY ACTION, INC.	Telephone #: (251) 457-5700 - 1105
Ages: 6 Weeks to 5 Years	Director (if applicable):	Capacity: 72 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
CORRECTED DEFICIENCIES VERIFIED THROUGH ARISE.	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: (5/1/26) Not all staff are enrolled.	5/4/2026
Failed - Medical, Staff Checklist Comments: (5/1/26) Incomplete	5/8/2026
Failed - Medical, Staff Checklist Comments: (5/1/26) Expired	5/4/2026
Failed - Health and Safety Training, Staff Checklist Comments: (5/1/26) Missing #11	5/4/2026
Failed - TB Test Date and Results, Staff Checklist Comments: (5/1/26) Missing documentation	6/8/2026
Failed - Written Verification of Standards Read, Staff Checklist Comments: (5/1/26) Wrong form	5/1/2026
Failed - Application, Staff Checklist Comments: (5/1/26) Missing 3rd page	5/1/2026
Failed - Written Verification of Standards Read, Staff Checklist Comments: (5/1/26) Wrong form	5/1/2026
Failed - Health and Safety Training, Staff Checklist Comments: (5/1/26) Missing 1-11	5/5/2026
Failed - Application, Staff Checklist Comments: (5/1/26) Missing 3rd page	5/1/2026
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist	6/8/2026

Comments: (5/1/26) Missing documentation	
Failed - Written Verification of Standards Read, Staff Checklist	5/1/2026
Comments: (5/1/26) wrong form	
Failed - Health and Safety Training, Staff Checklist	5/6/2026
Comments: (5/1/26) Missing 1-11	
Failed - Written Verification of Standards Read, Staff Checklist	5/1/2026
Comments: (5/1/26) wrong form	
Failed - Health and Safety Training, Staff Checklist	5/4/2026
Comments: (5/1/26) Missing 1-10	
Failed - Preadmission Form, Child Checklist	5/4/2026
Comments: (5/1/26) Incomplete	
Failed - Preadmission Form, Child Checklist	5/4/2026
Comments: (5/1/26) Incomplete	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Chimere Clemons
Signature of Facility Representative

6-8-2026
Date

LaDanika York

Signature of DHR Licensing Representative

Date

COPIES TO: _____