

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: SCHOOL FOR AMAZING KIDS, CALERA	Type of Facility : Center [X] Day [X] OST [] Night [X] Family [] University [] Group []	Date of Visit: 6/3/2026
Facility Address: 53 LEAH LANE, CALERA, AL 35040, Shelby	Licensee: SCHOOL FOR AMAZING KIDS, CALERA	Telephone #: (205) 685-0877
Ages: 6 Weeks to 12 Years/6 Weeks to 12 Years	Director (if applicable): TAMINIKA REED	Capacity: 166 / 34 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
CLEAN AND SAFE CONDITION, Allegation Comments: Observed at visit.	6/8/2026
ILLNESS AND INJURY, Allegation Comments: Per witness statement.	6/8/2026
REPORTED 24 HRS/5 DAYS, Allegation Comments: Per witness statement.	6/8/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards.

Performance Standards.

Signature of Facility Representative

LEANNA TOWERY

Signature of DHR Licensing Representative

Date _____

6/8/2026

COPIES TO: director