

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


| | | |
|--|---|---|
| Facility Name: LA PETITE ACADEMY | Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group [] | Date of Visit: 6/11/2026 |
| Facility Address: 5198 VALLEYDALE ROAD, BIRMINGHAM, AL 35242, Shelby | Licensee: LA PETITE ACADEMY, INC | Telephone #: (205) 991-5391 |
| Ages: 6 Weeks to 12 Years | Director (if applicable): JENNIE MASON | Capacity: 138 / NA Day Night |

SECTION B - DEFICIENCY INFORMATION


| <u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i> | Date Corrected by Licensee |
|--|-------------------------------|
| Deficiency Summary | |
| CORPORAL/PHYSICAL PUNISH, Allegation Comments: Per witness statment. | Pending Correction |
| FOOD, Allegation Comments: Per witness statement. | Pending Correction |
| ROUGH OR HARSH HANDLING, Allegation Comments: Per witness statement. | Pending Correction |
| 6/11/2026 The toddlers room 1 and twos room did not have hazardous substances under lock and key (disinfectant spray and dish soap)., Ad Hoc Comments: NA | 6/11/2026 |

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 6/26/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative
LEANNA TOWERY



Date

Signature of DHR Licensing Representative

6/11/2026

Date

COPIES TO: director