

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: LITTLE ANGELS CHILDCARE LLC	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 6/11/2026
Facility Address: 205 EXECUTIVE PARK DRIVE, DOTHAN, AL 36303, Houston	Licensee: LITTLE ANGELS CHILDCARE LLC	Telephone #: (334) 803-0106
Ages: 4 Weeks to 16 Years	Director (if applicable): LEONARD TATE	Capacity: 41 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: All staff are not enrolled in Alabama Pathway registry.	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: There is no verification of training.	Pending Correction
Failed - Medical, Staff Checklist Comments: Not in file.	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: There is no verification of training.	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: There is no verification of training.	Pending Correction
Failed - Immunization Certificate, Child Checklist Comments: Not in file.	6/11/2026

Failed - Preadmission Form, Child Checklist

6/11/2026

Comments: There are not complete address with the city in the emergency or release information sections.

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before June 25,2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Isabel Diaz

Signature of Facility Representative

06/11/2026

Date

JAY DALTON

Signature of DHR Licensing Representative

6/11/26

Date

COPIES TO: Isabel Diaz