

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: ANGELS OF MINE LEARNING ACADEMY	Type of Facility : Center [] Day [X] OST [] Night [X] Family [] University [] Group [X]	Date of Visit: 6/11/2026
Facility Address: 1743 County Road 3348, Brundidge, AL 36010, Pike	Licensee: CHRISTY MERRITT	Telephone #: (334) 452-0315
Ages: 6 Weeks to 12 Years/6 Weeks to 12 Years	Director (if applicable):	Capacity: 12 / 12 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Tools and machinery inaccessible, Inspection Form Comments: TREADMILL IS ACCESSIBLE TO THE CHILDREN	Pending Correction
Failed - Outdoor play area and equipment free from apparent hazards, Inspection Form Comments: GRASS ON THE OUTDOOR PLAY AREA IS EXCESSIVELY HIGH	Pending Correction
Failed - Infant -Child CPR Certification, Staff Checklist Comments: EXPIRED	Pending Correction
Failed - Infant -Child CPR Certification, Staff Checklist Comments: EXPIRED	Pending Correction
Failed - Infant -Child CPR Certification, Staff Checklist Comments: EXPIRED	Pending Correction
Failed - Infant -Child CPR Certification, Staff Checklist Comments: EXPIRED	Pending Correction

Failed - Medical, Staff Checklist Comments: EXPIRED	Pending Correction
Failed - TB Test Date and Results, Staff Checklist Comments: EXPIRED	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 06/30/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Christy Merritt
Signature of Facility Representative

6-14-26
Date

AMY HORN
Signature of DHR Licensing Representative

06/11/2026
Date

COPIES TO: LICENSEE