

## Plan of Correction

### SECTION A - IDENTIFYING INFORMATION

Facility Name: ADVANCED ANGELS LLC	Type of Facility: Center <input checked="" type="checkbox"/> OST <input type="checkbox"/> Day <input checked="" type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Night <input checked="" type="checkbox"/> Group <input type="checkbox"/>
Physical Address: 404 2ND AVENUE OPELIKA, AL 36801	Mailing Address: 404 2ND AVENUE OPELIKA, AL, 36801
Telephone Number: (334) 759-7027	Licensee: ADVANCED ANGELS LLC
Capacity: 51	Director: MARQUITA CORE
Age Range: 6 Weeks to 13 Years 6 Weeks to 13 Years	Date Prepared: 6/12/2026

### SECTION B - BASIS FOR PLAN OF CORRECTION

List each deficiency, the plan of action, and the target date for each item:

Deficiency Plan of Correction	Date to be completed
Failed - Ongoing Training, Staff Checklist Plan of Action - Teacher will complete training	7/3/2026
Failed - Health and Safety Training, Staff Checklist Plan of Action - staff will complete training	7/3/2026
Failed - Ongoing Training, Staff Checklist Plan of Action - Staff will complete training	7/3/2026
Failed - Health and Safety Training, Staff Checklist Plan of Action - Staff will complete training	7/3/2026
Failed - Ongoing Training, Staff Checklist Plan of Action - staff will complete	7/3/2026
Failed - Health and Safety Training, Staff Checklist Plan of Action - staff will complete	7/3/2026
Failed - Ongoing Training, Staff Checklist Plan of Action - staff will complete	7/3/2026
Failed - Health and Safety Training, Staff Checklist Plan of Action - staff will complete	7/3/2026
Failed - Medical, Staff Checklist Plan of Action - Staff will get medical	7/3/2026
Failed - Ongoing Training, Staff Checklist Plan of Action - staff will complete	7/3/2026
Failed - Health and Safety Training, Staff Checklist Plan of Action - Staff will complete	7/3/2026

Failed - Health and Safety Training, Staff Checklist Plan of Action - staff will complete	7/3/2026
Failed - *Large balls (8 + inches) – 1, Classroom Checklist / Infant Room Plan of Action - will get the equipment	7/3/2026
Failed - *Nesting and stacking toys – 2 sets, Classroom Checklist / Infant Room Plan of Action - will get the equipment	6/26/2026
Failed - *Washable baby doll – 1, Classroom Checklist / Infant Room Plan of Action - will get the equipment	6/26/2026
Failed - Furniture child size, clean, good condition, Classroom Checklist / Infant Room Plan of Action - will fix the furniture	6/26/2026
Failed - *Books – 2 per child, Classroom Checklist / Toddlers Plan of Action - will get equipment	6/26/2026
Failed - *Large/medium building blocks-app. 15 non-interlocking, Classroom Checklist / Preschool Plan of Action - will get equipment	6/26/2026
Failed - *Interlocking manipulative play sets, different types-6, Classroom Checklist / Preschool Plan of Action - will get equipment	6/26/2026
Failed - *Matching games-6 (no more than 2 electronic, Classroom Checklist / Preschool Plan of Action - will get equipment	6/26/2026
Failed - *Doll bed or cradle, Classroom Checklist / Preschool Plan of Action - will get equipment	6/26/2026
Failed - *Doll clothes and blankets, Classroom Checklist / Preschool Plan of Action - We will get the equipment.	6/26/2026
Failed - *Dress-up clothes for boys and girls, Classroom Checklist / Preschool Plan of Action - We will get the equipment.	6/26/2026
Failed - *Unbreakable mirror-full length, Classroom Checklist / Preschool Plan of Action - We will get the equipment.	6/26/2026
Failed - *Toy telephones-2, Classroom Checklist / Preschool Plan of Action - We will get the equipment.	6/26/2026
Failed - *Rhythm instruments – 1 per child in group, Classroom Checklist / Preschool Plan of Action - We will get the equipment.	6/26/2026
Failed - *Magnifying glass, Classroom Checklist / Preschool Plan of Action - We will get the equipment.	6/26/2026
Failed - *Nature collections, Classroom Checklist / Preschool Plan of Action - We will get the equipment	6/26/2026

Failed - *Measuring and pouring equipment, Classroom Checklist / Preschool Plan of Action - We will get the equipment.	6/26/2026
Failed - *Non-toxic playdough or modeling clay, Classroom Checklist / School-Age 1 Plan of Action - We will get the equipment.	6/26/2026
Failed - *Non-toxic tempera paint, Classroom Checklist / School-Age 1 Plan of Action - will get equipment	6/26/2026
Failed - *Brushes, Classroom Checklist / School-Age 1 Plan of Action - will get equipment	7/3/2026
Failed - Written schedule posted with 60-90 minutes of active play, Classroom Checklist / School-Age 1 Plan of Action - will add time to the schedule	6/26/2026
Failed - Labeled storage space at child level, Classroom Checklist / School-Age 1 Plan of Action - Storage space will be labeled.	6/26/2026
Failed - Indoor thermometer (child safe), Classroom Checklist / School-Age 2 Plan of Action - Corrected	6/12/2026
Failed - Written schedule posted with 60-90 minutes of active play, Classroom Checklist / School-Age 2 Plan of Action - A new schedule will be created to reflect 60-90 minutes of active play.	6/26/2026
In the toddler room (18m - 2.5 years), the air condition vent is rusted., Ad Hoc Plan of Action - We will paint air conditioner vent	7/3/2026
In the toddler room (18m - 2.5 years), teacher belongings were not under lock and key or combination lock., Ad Hoc Plan of Action - has been corrected	6/26/2026
Upon arrival, the staff in charge informed the DHR representatives she did not have access to the staff's or children's files., Ad Hoc Plan of Action - We will let staff know that they do have our permission to give the State files.	6/12/2026
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Plan of Action - The outdoor play area will be cleared of hazardous conditions.	6/26/2026
Failed - Outdoor play area free of apparent hazardous conditions:., Inspection Form Plan of Action - will be corrected	7/3/2026
Broken limbs are on the playground., Ad Hoc Plan of Action - The limbs will be removed.	6/26/2026
An active spider web is on the back playground., Ad Hoc Plan of Action - Corrected	6/12/2026

The gate going into the back playground is broken., Ad Hoc Plan of Action - The gate will be fixed.	6/26/2026
There is no shaded area on the back playground., Ad Hoc Plan of Action - A tent will be purchased to provide shade.	6/26/2026
Failed - No blanket authorization forms for medication, Inspection Form Plan of Action - will get an authorization form	6/26/2026